



Отчёт о состоянии атмосферного воздуха за 02.10.2025

Наименование	[NO ₂], мкг/м³	[NO ₂], мкг/м³	[CO], мкг/м³	[SO ₂], мкг/м³	[Пыль], мкг/м³	[Формальдегид], мкг/м³
00:00-06:00	303	237	21,380	11,564	0,294	0,138
06:00-12:00	3	260	14,307	9,128	0,332	0,114
12:00-18:00	3	277	0,000	7,782	0,000	0,000
18:00-24:00	3	276	4,885	16,396	0,435	1,187
00:00-24:00	3	262	10,143	11,217	0,355	0,360
ПДК _с	-	-	100,0	3,0	50,0	150,0
					0,01	0,01


Формальдегид, мкг/м³




NO₂, мкг/м³




NO₂, мкг/м³




SO₂, мкг/м³



CO, мкг/м³



Пыль, мкг/м³



Руководитель филиала ЦЛАТИ по Смоленской области

Ю.П. Есеев


Начальник лаборатории

В.Н. Прокопенко




Направление ветра	[NO ₂], мкг/м³	[NO ₂], мкг/м³	[CO ₂], мкг/м³	[SO ₂], мкг/м³	[Пыль], мкг/м³	[Формальдегид], мкг/м³
00:00-06:00	З	274	0,000	0,091	1,393	5,442
06:00-12:00	ЗСЗ	303	0,000	0,216	0,831	4,098
12:00-18:00	ЗЮЗ	250	0,392	0,266	0,337	14,822
18:00-24:00	ЮЮВ	167	16,419	0,455	2,991	52,988
00:00-24:00	ЗЮЗ	249	4,203	0,241	1,388	19,337
ПДК _с	-	-	100,0	3,0	50,0	150,0
						0,01


Формальдегид, мкг/м³




Пыль, мкг/м³



NO₂, мкг/м³




CO, мкг/м³



NO₂, мкг/м³



SO₂, мкг/м³



Руководитель филиала ЦЛТИ по Смоленской области

Ю.П. Есеев

Начальник лаборатории


В.Н. Прохорова




Отчёт о состоянии атмосферного воздуха за 04.10.2026

	Направление ветра	[NO ₁], мкг/м³	[NO ₂], мкг/м³	[CO], мкг/м³	[SO ₂], мкг/м³	[PM ₁₀], мкг/м³	[формальдегид], мкг/м³
00:00-06:00	ВЮВ 121	11,653	11,832	0,253	5,454	36,175	0,0003
06:00-12:00	ЮВ 125	7,738	13,010	0,282	4,037	44,690	0,0003
12:00-18:00	ЮЗ 220	0,435	14,362	0,330	1,169	15,283	0,0003
18:00-24:00	ЗЮЗ 242	0,000	12,694	0,340	1,958	14,126	0,0003
00:00-24:00	Ю 177	4,957	12,975	0,301	3,154	27,568	0,0003
ПДК _с	-	100,0	3,0	50,0	150,0	0,01	


Формальдегид, мкг/м³




[PM₁₀], мкг/м³




NO_x, мкг/м³




CO, мкг/м³



NO₂, мкг/м³



SO₂, мкг/м³



Руководитель филиала ПЛАТИ по Смоленской области

Ю.П. Есеев

Начальник лаборатории

В.И. Прохоренкова

